



Certificate of Analysis

Compliance Test

Client Information:

PURE SHENANDOAH
154 W SPOTSWOOD AVE
ELKTON, VIRGINIA 22827

Batch # 0451630020088548
Batch Date: 2025-01-17
Extracted From: CBD CBG THC

Test Reg State: Oregon

Production Facility: Pure Shenandoah
Production Date: 2025-01-17

Order # PUR250411-010001
Order Date: 2025-04-11
Sample # AAGP286

Sampling Date: 2025-04-15
Lab Batch Date: 2025-04-15
Completion Date: 2025-04-23

Density: 1.000 g/ml
Volume: 236 ml



**Potency
Tested**

Product Image



Potency 10

Specimen Weight: 210000.000 mg

Tested

SOP13.001 (LCMS)

Analyte	LOD (mg/g)	LOQ (%)	Result (µg/ml)	(%)
CBG	2.48E-4	0.015	12.830	0.001283
CBD	5.40E-5	0.015	9.122	0.000912
Delta-9 THC	1.30E-5	0.015	3.573	0.000357
CBC	1.80E-5	0.015	<LOQ	<LOQ
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBDV	6.50E-5	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
CBN	1.40E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			0.009	0.000912
Total Active THC			0.004	0.000357



Potency Summary

Total Active THC 0.000357%	0.843mg	Total Active CBD 0.000912%	2.153mg
Total CBG 0.001283%	3.028mg	Total CBN	ND
Total Cannabinoids 0.002553%	6.025mg	Total THCA-A	ND


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400. Failed - Analyte/microbe is at the level that equal or above the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400 The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.